
Halogen Line Heater Laboratory-Kit

HLH-35A-1000w + HCVD


Easily heating high temperatures!





♦ Feature **♦**

- 1). Easily heating high temperatures by the kit!
- 2). Easily heating high temperatures at free range!
- 3). Easily adjusting the radiation area by manual lift!
- 4). Easily changing the heat power (wattage) by slide transformer!
- 5). It is so simple cooling system use cooling fan.




[Power:10v-23w]

Can be varied to AC0v - AC100v in large volume of manual variable power supply.


Variable of the electric power is carried out by voltage adjustment, and heating temperature can be adjusted.

It is a freely from low to high temperatures.




[Power:100v-1000w]

ne so very bright emission of heat generation 1000W maximum or Hot surface heating can be simply performed in non-contact.



[Lab-kit Actual wiring diagram]



(Example of lab kit assembly.)(※The lab kit is delivered as individual components.)

- 1 Cubic test stand
- 2 Heater mounting bracket
- 3 Manual lift.
- 4 Brick
- (5) Safety glasses against high intensity light

It can visually check the high-intensity irradiation point at maximum output.

- 6 Halogen Line Heater HLH-35A/f∞/100v-1000w
 - The output of 1kw, to heat the surface of the object.
- By varying the AC200-240v to AC0 100v in volume, user can adjust the heating output.

Equipped with DC24V power for air cooling fan.

Non-touch High temperature heating



Heat-tech Co., Ltd.

https://heater.heat-tech.biz/

International Medical Device Alliance IMDA 1-6-5 Minatojima Minamimachi Chuoku Kobe 650-0047 Japan TEL 81-78945-7894 FAX 81-78945-7895

E-mail info@heat-tech.biz